


EXPERT

STANLEY



PRO MOTIONS
& NEW PRODUCTS



» 1/2" COMPACT IMPACT WRENCH

Compact design for access

in confined spaces

- Torque: 678 N.m at untightening
- Soft control trigger
- 3 Power setting
- Connection threading: 1/4"
- Hose : 3/8" - 10 mm
- Weight: 1,6 kg



PIN: **E23010**
List:

» 1/2" IMPACT WRENCH

Double hammer impact mechanism

- Torque: 814 N.m at untightening
- Soft control trigger
- 5 Power setting
- Connection threading: 1/4"
- Hose: 3/8" - 10 mm
- Weight: 2,7 kg



PIN: **E230110**
List:

» 3/4" IMPACT WRENCH

Double hammer impact mechanism

- Torque: 1017 Nm at untightening
- Soft control trigger
- 5 Power setting
- Connection threading: 1/4"
- Hose: 3/8" - 10 mm
- Weight: 2,9 kg



PIN: **E230115**
List:

» 3/4" STANDARD IMPACT WRENCH 1400 NM

Durable twin hammer mechanism

- Rugged and high torque 1400 Nm at untightening
- Rubber grip insulating against cold
- Handle exhaust blows air away from the workplace
- Teasing trigger
- 3 power setting
- Hose: 3/8" - 10 mm



PIN: **E230116**
List:

» 1/2" COMPACT IMPACT WRENCH KIT

Set contains:

- 1/2" Compact impact Wrench: E230104
- 1/2" 6 point Impact Sockets Metric : 11-12-13-17-19-21-22-24-27 mm
- 1/2" Impact extension: 125 mm
- Set of 5 Rings and 5 Pins
- Foam Module



PIN: **E231101**
List:

» 3/4" COMPACT IMPACT WRENCH KIT

Set contains:

- 3/4" Impact wrench: 230115
- 3/4" 6 point Impact Sockets Metric: 19-22-24-27-30-32-36-38 mm
- 3/4" Impact extension: 175 mm
- Set of 5 Rings and 5 Pins
- Double foam Module



PIN: **E231103**
List:

» 1/2" STANDARD IMPACT WRENCH KIT

Set contains:

- 1/2" impact Wrench: E230110
- 1/2" 6 point Deep impact Sockets Metric : 13-17-18-19-21-22-24-27 mm
- 1/2" Impact extension: 125 mm
- Set of 5 Rings and 5 Pins
- Foam Module




PIN: **E231102**
List:

» MAGNETIC IMPACT WRENCH HANGER

- Plastic body with two powerful magnets
- 4 posts to keep impact sockets (up to 1/2" Drive)
- Hoop to hang the Impact wrench
- Hanger for torque wrench or ratchet



PIN: **E231015**
List:



>> MAGNETIC ADAPTERS SET 3 PIECES

- Flat design, connected directly to the square of gun instead of a pistol key

E041505	1/4" TO 3/8" SOCKET COUPLER
E041506	3/8" TO 1/2" SOCKET COUPLER
E041507	1/2" TO 3/4" SOCKET COUPLER

PIN: **E041649**
List:



>> SET OF 1" STANDARD IMPACT SOCKETS

- 1" 6 point Impact Sockets
- Supplied on socket rail
- Sockets available individually
- E041648: metric 27-32-33-36 mm
- E041647: metric 27-30-32-33-36-41-46-50 mm



4 PIECES

PIN: **E041648**
List:


8 PIECES

PIN: **E041647**
List:



>> 1" STRAIGHT IMPACT WRENCH LONG ANVIL

- Rugged and high torque delivering 2170 Nm at untightening
- Durable pinless rocking dog mechanism
- Second handle
- Side exhaust blows air away from the workplace
- Teasing trigger
- 3 power settings in forward
- Hose: 3/4" - 19 mm
- Weight: 12 kg



PIN: **E230126**
List:

>> 1" PISTOL IMPACT WRENCH

- Rugged and high torque delivering 2170 Nm at untightening
- Durable pinless rocking dog mechanism
- Second handle
- Side exhaust blows air away from the workplace
- Teasing trigger
- 3 power settings in forward
- Hose: 3/4" - 19 mm
- Weight: 12 kg



PIN: **E230120**
List:

>> 1" IMPACT WRENCH

- Rugged and high torque delivering 2170 Nm at untightening
- Durable Pinless rocking dog mechanism
- Second handle
- Side exhaust blows air away from the workplace
- Teasing trigger
- 3 power settings in forward
- Hose: 3/4" - 19 mm
- Weight: 9,8 kg



PIN: **E23012**
List:

>> MINI AIR RATCHETS

Compact Design for access in confined spaces

- 165 mm length
- Free Speed: 250 RPM

Comfortable and easy to use

- Rear exhaust blows air away from the workplace
- Forward reverse on ratchet head
- Hose: 1/4" - 6 mm
- Weight: 0,52 kg



1/4" MINI AIR RATCHET

- 1/4" Square drive
- Torque 27 Nm

PIN: **E230201**
List:

3/8" MINI AIR RATCHET

- 3/8" Square drive
- Torque 54 Nm

PIN: **E230202**
List:

>> AIR RATCHETS

Compact Design

- 267 mm length
- Free Speed: 150 RPM

Comfortable and easy to use

- Rear exhaust blows air away from the workplace
- Forward reverse on ratchet head
- Torque 70 Nm
- Hose: 3/8" - 10 mm
- Weight: 1,17 kg



3/8" AIR RATCHET

PIN: **E230203**
List:

1/2" AIR RATCHET

PIN: **E230204**
List:



TOOL KITS

» 6 DRAWER ROLLER CABINET 3 MODULES PER DRAWER 123 PC TOOLKIT

- 67 piece 1/4" socket and accessory module
- 21 piece 1/2" socket and accessory module
- 16 piece combination wrench 6-24 mm module
- 4 piece mechanical plier module
- 8 piece screwdriver module
- 7 piece shock tools module - din hammer

PIN: **E220312**
List:

ROLLER CABINET

- Each drawer can be fitted with 3 modules
- Drawers open to allow 100% access
- Load per drawer: 15 kg for 60 mm drawers and 20 kg for 130 and 200 mm drawers
- Central Locking
- Worktop covered with a 2mm removable ABS plate – withstands a 600 kg static load
- Strong polypropylene handle
- Four wheels diameter 125 mm, 2 fixed and 2 castors, one with brake
- Overall dimensions (with handle): W.800 x D.500 x H.987 mm
- Dimensions (without handle): W.715 x D.500 x H.987 mm
- 3 drawers: W.569 x D.420 x H.60 mm
- 2 drawers: W.569 x D.420 x H.130 mm
- 1 drawer: W.569 x D.420 x H.200 mm

PIN: **E010109**
List:

**ROLLER
CABINET
ONLY**



» 6 DRAWER ROLLER CABINET 3 MODULES PER DRAWER 207 PC TOOLKIT

- 67 piece 1/4" socket and accessory module
- 21 piece 1/2" socket and accessory module
- 16 piece combination wrench 6-24mm module
- 8 pieces offset ring wrench module
- 4 piece mechanical plier module
- 2 piece multigrip + locking plier module
- 8 piece screwdriver module
- 74 piece screwdriver module
- 7 piece shock tools module din hammer

PIN: **E220316**
List:

ROLLER CABINET

- Each drawer can be fitted with 3 modules
- Drawers open to allow 100% access
- Load per drawer: 15 kg for 60 mm drawers and 20 kg for 130 and 200 mm drawers
- Central Locking
- Worktop covered with a 2 mm removable ABS plate – withstands a 600 kg static load
- Strong polypropylene handle
- Four wheels diameter 125 mm, 2 fixed and 2 castors, one with brake
- Overall dimensions (with handle): W.800 x D.500 x H.987 mm
- Dimensions (without handle): W.715 x D.500 x H.987 mm
- 3 drawers: W.569 x D.420 x H.60 mm
- 2 drawers: W.569 x D.420 x H.130 mm
- 1 drawer: W.569 x D.420 x H.200 mm

PIN: **E010109**
List:

**ROLLER
CABINET
ONLY**



» 8 DRAWER ROLLER CABINET

4 MODULES PER DRAWER

367 PC TOOLKIT

- 67 piece 1/4" socket and accessory module
- 50 piece 3/8" socket and accessory module
- 21 piece 1/2" socket and accessory module
- 10 piece 1/2" long socket module
- 33 piece 1/2" bit socket module
- 8 piece 1/2" accessory module
- 17 piece 1/2" impact socket module
- 6 piece sheet metal module
- 16 piece combination wrench 6-24 mm module
- 12 piece ratchet combination wrenches module
- 4 piece combination wrench 27-32 mm module
- 8 pieces offset ring wrench module
- 4 piece mechanical plier module
- 4 piece circlips plier module
- 2 piece multigrip + locking plier module
- 7 piece TorxÆ T-handle module
- 8 piece T-handle hex keys module
- 8 piece screwdriver module
- 74 piece screwdriver module
- 7 piece shock tools module din hammer
- 1/2" drive torque wrench 20>100 Nm

PIN: **E220331**
List:

PIN: **E010131**
List:

**ROLLER
CABINET
ONLY**



LARGE



» 7 DRAWER ROLLER CABINET

3 MODULES PER DRAWER

285 PC TOOLKIT

- 67 piece 1/4" socket and accessory module
- 21 piece 1/2" socket and accessory module
- 33 piece 1/2" bit socket module
- 17 piece 1/2" impact socket module
- 16 piece combination wrench 6-24 mm module
- 12 piece ratchet combination wrenches module
- 4 piece combination wrench 27-32 mm module
- 8 piece offset ring wrench module
- 4 piece mechanical plier module
- 4 piece circlips plier module
- 2 piece multigrip + locking plier module
- 8 piece T-handle hex keys module
- 8 piece screwdriver module
- 74 piece screwdriver module
- 7 piece shock tools module - din hammer

PIN: **E220324**
List:

ROLLER CABINET

- Each drawer can be fitted with 3 modules
- Drawers open to allow 100% access
- Load per drawer: 15 kg for 60 mm drawers and 25 kg for 270 mm drawers
- Central Locking
- Worktop covered with a 2mm removable ABS plate – Withstands a 600 kg static load
- Strong polypropylene handle
- Four wheels diameter 125 mm, 2 fixed and 2 castors, one with brake
- Overall dimensions (with handle): W.800 x D.500 x H.987 mm
- Dimensions (without handle): W.715 x D.500 x H.987 mm
- 6 drawers: W.569 x D.420 x H.60 mm
- 1 drawer: W.569 x D.420 x H.270 mm

PIN: **E010130**
List:

**ROLLER
CABINET
ONLY**





MULTI-TOOL SETS

» MAINTENANCE TOOL SETS 142 TOOLS



Set contains:

11 X Combination Wrench	Hack Saw – Revolver Handle	1/4" Spinner Handle
Adjustable Wrench 250 mm	4 x Screwdriver Flared 4x100 - 5,5x125 - 6,5x150 - 8x175	16 x 1/2" 6 Point Standard Socket
Crimping Pliers	2 x Screwdriver Parallel 2,5x50 - 3,5x75	1/2" Pear Head Ratchet
Russian Pincer 250 mm	4 x Screwdriver PH1x100 - PH2x125 - PZ1x100 - PZ2x125	1/2" Extension - 75 mm
Heavy Diagonal Cutting Pliers - 160 mm	Voltage Tester 100-500 V	1/2" Extension - 250 mm
Combination Pliers 180 mm	Caliper 1/20th	1/2" Universal Joint
Long Nose Half Round Pliers 200 mm	Steel Scribers	Sleeve Set of 9 Long Hex Keys Spherical Head
Wire Stripper 160 mm	11 x 1/4" 6 Point Standard Socket	Sleeve Set of 7 Torx® Keys
Twin Slip-Joint Multigrip 250 mm	1/4" Pear Head Ratchet	1/4" Bits Set: 48 Bits + Bit Holder
Din Hammer 23 mm	1/4" Extension: 55 - 100 mm	5 Metre Tape Measure - Metric
3 x Drift Punch 4-5-6 mm	1/4" Spring-Clip Bit Holder	18 mm Retractable Knife
Center Punch 4 mm	1/4" Universal Joint	Aluminium Maintenance Case

PIN: **E220107**
List:

» MAINTENANCE TOOL SETS 96 TOOLS



Set contains:

Combination Wrench	1/4" Spring-clip Bit Holder
Adjustable Wrench 250 mm	1/4" Universal Joint
3 x Screwdriver Parallel 3,5x75	1/4" SD Pear Head Ratchet
3 x Screwdriver Flared 4x100 - 6,5x150 - 8x175	1/4" Extension 55 mm
4 x Screwdrivers PH1x100 - PH2x125 - PZ1x100 - PZ2x125	1/4" Spinner
Straight Nose 1/2 Round Pliers-200 mm	12 x 1/2" 6 Point Standard Socket
Engineer Cutting Plier - 160 mm	1/2" Sd Pear Head Ratchet
Twin Slip Joint Multigrip 250 mm	1/2" Extension 75 mm
Din Hammer 23 mm	1/2" Extension 250 mm
Drift Punch 4-6 mm	1/2" Universal Joint
Center Punch 4 mm	Sleeve set of 9 Short Hex Keys
Metal Hacksaw Revolver	Sleeve set of 7 Torx Keys
11 x 1/4" 6 Point Standard Socket	1/4" Bits Set: 18 Bits + Bit Holder
1/4" Sliding Tee	5 Metre Tape Measure - Metric
1/4" Extension 100 mm	Aluminium Maintenance Case

PIN: **E220104**
List:



» ALUMINUM AND PLASTIC WORKSHOP TROLLEY

- Construction in plastic and aluminum
- 4 swivel wheels, including 2 with brake for easy movement and handling
- Maximum load: 150 kg

PIN: **E010136**
List:

» WINDSHIELD ROLLING RACK

- 4 plastic supports to carry any kind of windscreen and other parts of the car (doors, bonnet) without any damage
- Maximum load: 50 kg per shelf
- 4 swivel wheels, including 2 with brake for easy movement and handling
- Easy and quick to assemble
- Delivered with an instruction manual

PIN: **E201521**
List:



» FABRIC TOOLBOX

- 600 x 600 denier high resistance fabric
- Elastic pockets inside and outside
- Adjustable saw storage
- Flexible cover closing folding in a pocket
- Steel handle with comfort zone
- Adjustable strap
- Rigid sealed storage
- Load capacity 10 kg

PIN: **E010601**
List:

» TOOL BACK PACK ON WHEELS

- 600 x 600 denier high resistance fabric
- Ideal for travelling maintenance
- Inside pockets and compartments
- Front and side pockets
- Padded adjustable straps with carry handle on the top
- Telescopic handle and built-in rollers

PIN: **E010602**
List:

» PLASTIC TOOLBOX

- Lid fitted with 1 fixed and 2 removable transparent storage compartments
- Removable plastic tool tray
- 2 metal padlock clasps (padlocks not supplied)
- Handle folds flush to lid
- Loading capacity box 410 mm: 8 kg - box 490 mm: 10 kg

410 mm PIN: **E010304**
List:

490 mm PIN: **E010305**
List:

» EXPANDABLE MAGNETIC PARTS TRAY

- Magnetic base for effective holding of screws, bolts and other small metallic parts
- Can be used horizontally or vertically
- Capacity can be adapted according to needs
- Retractable, can be stored in a roller cabinet drawer
- E010128 Height: 35 to 92 mm; diameter 135 mm
- E010129 Height: 42 to 130 mm; diameter 225 mm

MINI PIN: **E010128**
List:

MAXI PIN: **E010129**
List:



» METAL TOOLBOX

- 2 hinged handles
- 5 compartments over 3 levels
- Can be padlocked (not supplied)
- Easy opening



PIN: **E194738**
List:



» 1/2" TORX BIT SOCKET SET 9 PIECES

- Dimensions: T20-T25-T27-T30-T40-T45-T50-T55-T60
- Supplied in a metal rack

PIN: **E032936**
List:



» 1/2" SOCKET SET 10 PIECES

- 9-10-11-12-13-14-15-17-18-19 mm

PIN: **E034837**
List:



» 3/4" SOCKET SET 14 PIECES

- 22-24-27-30-32-34-36-41-46-50 mm
- 1 x 3/4" sliding T-handle
- 1 x 3/4" ratchet
- 2 x 3/4" extensions 200-400 mm
- Supplied in a metal box

PIN: **E194682**
List:

» FLEXIBLE EXTENTIONS

- Ideal for tightening/loosening in tight spaces
- Flexible body
- Suitable for hand use only
- High chrome finish

LIST PRICE OFFER PRICE

E030509 1/4" - 150 mm

E031614 3/8" - 200 mm

E032711 1/2" - 200 mm



SUPPLIED IN SOCKET SET CASE WHICH ALSO CAN CONVERT INTO A MODULAR STORAGE SYSTEM FOR USE IN ROLLER CABINETS.



» 1/2" SOCKET & ACCESSORY SET 22 PIECES

- 17 x 1/2" 6 points sockets: 8-32 mm
- 1/2" locking meter ratchet
- 1/2" sliding T-handle
- 2 x 1/2" extensions 130-250 mm
- 1/2" universal joint

PIN: **E032900**
List:



» 1/4" SOCKET & ACCESSORY SET 34 PIECES

- 13 x 1/4" 6 points sockets: 4-14 mm
- Slotted head bits: 4-5.5-6.5 mm
- Pozidriv® bits: PZ1-PZ2-PZ3
- 6 Resistor® bits: 10 to 40
- Hex bits: 4-5-6 mm
- 1/4" bit adaptor
- 2 x 1/4" extensions 55-100 mm
- 1/4" universal joint
- 1 bimaterial screwdriver handle
- 1/4" locking meter ratchet

PIN: **E194672**
List:



» 1/4" SOCKET & ACCESSORY SET 42 PIECES

- 13 x 1/4" 6 points sockets: 4 to 14 mm
- 1/4" Pozidriv® screwdriver bit sockets: PZ1-PZ2-PZ3
- 1/4" Phillips® screwdriver bit sockets: PH1-PH2-PH3
- 1/4" hexagonal screwdriver bit sockets: 3-4-5-6-7-8 mm
- 6 x 1/4" Torx® screwdriver bit sockets: 10 to 40
- 1/4" slotted head screwdriver sockets: 4-5.5-7 mm
- 3 x 1/4" extensions 55-100-150 mm
- 1/4" sliding T-handle
- 1 Bimaterial screwdriver handle
- 1/4" universal joint
- 1/4" locking meter ratchet
- 1/4" bit holder

PIN: **E030702**
List:

» 1/4" & 1/2" SOCKET, WRENCH & ACCESSORY SET 101 PIECES

- 1/4" and 1/2" square drive ratchet, sockets and accessories
- 1/4" and 1/2" 6 point sockets 4 to 32 mm
- 18 bit sockets 1/4" flat, Hex, Pozidriv®, Phillips®, Torx®
- 1/2" 6 point long reach sockets: 13-17-19 mm
- 12 x 5/16" bits: flat, Pozidriv®, Phillips®, Torx® & Hex
- Hex keys on plastic rack
- Combination wrenches
- 2 x 1/2" spark plug sockets: 16 and 21 mm



PIN: **E032911**
List:

» MULTI-TOOL SET 124 PIECES

For mobile maintenance

- 1/4" and 1/2" square drive ratchet, sockets and accessories
- Set of 9 short hex keys in sleeve
- Set of 7 Torx® keys in sleeve
- 48 Piece screw-driver bits and accessories
- 11 x Combination wrench from 8-19 mm

Set of 3 Pliers:

- Multigrip pliers 250 mm
- Half round angled nose pliers
- Diagonal cutter

Set of 6 Screwdrivers:

- Phillips® PH1 - PH2,
- Pozidriv® PZ1 - PZ2,
- Slotted head screw drivers 4x100 mm - 6,5x125 mm



PIN: **E034806**
List:

COMBINATION WRENCH SETS ISO 691 - ISO 1711-1

- Open end angled at 15° from handle axis
- OGV® profile maximizing the contact surface with the nut for a longer lifetime

- Forged in chrome vanadium steel
- High chrome finish
- Supplied on plastic rack



» COMBINATION WRENCH SET METRIC 12 PIECES

- 7-8-10-11-12-13-16-17-18-19-22-24 mm
- 12-point OGV® ring angled at 15°

PIN: **E110309**
List:



» FLEXI-HEAD RATHETING COMB. WRENCH SET 7 PIECES

- 8-10-12-13-14-17-19 mm
- 5° increment
- 12-point OGV® ring angled at 180°
- Switch of direction by turning the wrench

PIN: **E111108**
List:



» RATHETING COMBINATION WRENCH SET METRIC 12 PIECES

- 8-9-10-11-12-13-14-15-16-17-18-19 mm
- 5° increment
- 12-point OGV® ring angled at 15°
- Switch to change ratheting direction built into the handle to prevent accidental change

PIN: **E111106**
List:



» FAST RATCHET COMBINATION WRENCH SET 12 PIECES

- 8-9-10-11-12-13-14-15-16-17-18-19 mm
- 5° increment
- Straight 12-point OGV® ring end
- OGV® ring profile maximizing contact surface with the nut for a longer lifetime

PIN: **E111101**
List:



» SET OF 3 "4-IN-1" RATHETING WRENCHES

- 8x10 - 12x13 - 9x11 - 14x15 - 16x17 - 18x19mm
- Polygon head 12 point
- Direction switch by built-in protected control
- Supplied in blister pack

PIN: **E111115**
List:

ADJUSTABLE WRENCHES

- Head tilted at 15° for a 30° deflection angle when flipped
- Hardened chrome-vanadium steel body
- Presentation: chromed, polished faces
- Right-hand knob rotation
- Registered model
- Reduced nose thickness for better access
- Round handle design for better ergonomics
- Fully Tempered and hardened jaws



	LIST PRICE	OFFER PRICE
E187470	250 mm	
E187472	300 mm	
E187473	375 mm	
E117905	450 mm	

» CHAIN WRENCH

- Steel body
- Satin finishing
- Capacity: 30 to 160 mm

PIN: **E200241**
List:



NEW

» FIBER STRAP WRENCH

- Steel body
- Satin finishing
- Capacity: 30 to 160 mm

PIN: **E200240**
List:



NEW



>> REVOLVER RATCHETING BIT HOLDER SET 59 PIECES

- PH1x3 - PH2x4 - PH3 (8pcs)
- PZ1x3 - PZ2x3 - PZ3 (7pcs)
- T10x2 - T15x2 - T20x2 - T25x2 - T30x2 - T4x2 (12pcs)
- TT10 - TT15x2 - TT20x2 - TT25x2 - TT30x2 - TT40 (10pcs)
- H2x2 - H3 - H4x2 - H5x2 - H6x2 (9pcs)
- 3 - 4x3 - 4.5 - 5 - 5.5x2 - 6 - 6.5x2 - 8 mm (12pcs)

PIN: **E160804**
List:



>> REVOLVER RATCHET BIT DRIVER

- Straight or revolver grip according to accessibility constraints and power required

PIN: **E160802**
List:



>> SET OF 9 HEX KEYS

- 1,5-2-2,5-3-4-5-6-8-10 mm
- Short
- Comes with a plastic rack for easy storage

PIN: **E113929**
List:



>> SET OF 7 TORX® KEYS

- Dimensions: T10-15-20-25-30-40
- Comes with a plastic rack for easy storage

PIN: **E121102**
List:



>> SET OF 9 HEX KEYS

- 1,5-2-2,5-3-4-5-6-8-10 mm
- Long
- Comes with a plastic rack for easy storage

PIN: **E113947**
List:



>> SET OF 9 HEX KEYS

- 1,5-2-2,5-3-4-5-6-8-10 mm
- Long with round head
- Comes with a plastic rack for easy storage

PIN: **E113976**
List:



>> MINI RATCHET BIT HOLDER DRIVER

Delivered with one 3-bit holder:

- 5.5 mm
- PH2
- PZ2




PIN: **E160803**
List:

BI-MATERIAL HANDLE AND ZINC PLATED BLADE!

NEW

PRIMO



SCREWDRIVERS

			LIST PRICE	PROMO PRICE
E160920	SET OF 5 SCREWDRIVERS		3,5x75 - 4x100 - 5,5x125 - PH1x100 - PH2x125	
E160921	SET OF 5 SCREWDRIVERS		3,5x75 - 4x100 - 5,5x125 - PZ1x100 - PZ2x125	
E160925	SET OF 5 SCREWDRIVERS		T10x75-T15x75-T20x100-T25x100-T30x125	
E160926	SET OF 5 SCREWDRIVERS		TT10x75-TT15x75-TT20x100-TT25x100-TT30x125	
E160922	SET OF 7 SCREWDRIVERS		2,5X50-3X50-4X100-5,5X125-6,5X150- PH1X100-PH2X125	
E160923	SET OF 7 SCREWDRIVERS		2,5X50-3X50-4X100-5,5X125-6,5X150- PZ1X100- PZ2X125	
E160924	SET OF 10 SCREWDRIVERS		2,5X50-3X50-4X100-5,5X125-6,5X150- PH0X75- PH1X100-PH2X125-PZ1X100-PZ2X125	

» TURN 6 BIT HOLDER SCREWDRIVER + BITS

- Transparent cellulose acetate grip
- Direct bit holder grip avoiding any power loss during important tightening
- Nickel-plated blade fitted
- Chrome-plated magnetic holder
- Elastomere cap

NEW



PIN: **E161115**
List:

» SCREWDRIVER SETS

- Bimaterial ergonomic handle for comfortable and effective grip that supports major pressure points in the palm of the hand
- Sliding pushing area makes rotation easy

- Sand blasted tip gives improved grip
- Choice of handle colors makes identification quick and easy
- Individually marked with pattern, size and length of blade makes selection easy



x8

» SCREWDRIVER SET SLOTTED & PHILLIPS

- 3x50 - 4x100 - 5,5x125 - 6,5x150 - 8x175 (with nut)
- PH 0x75 - 1x100 - 2x125 (with nut)

PIN: **E160904**
List:



x6

» 1000V INSULATED SCREWDRIVER SET SLOTTED & POZIDRIV

- 2.5x50 - 3.5x75 - 4x100 - 5.5x150
- PZ 1x100 - 2x125

PIN: **E160911**
List:



x6

» SCREWDRIVER SET SLOTTED & POZIDRIV

- 3,5x75 - 5,5x125 - 6,5x150 - 8x175
- PZ 1x100 - 2x125

PIN: **E160903**
List:



SCREWDRIVERS & BITS

» SCREWDRIVER MODULE 72 PIECES

49-piece box of bits and accessories:

- Slotted head bits: 4-4.5-5.5-6.5x2-8 mm
- Phillips® bits: PH1x2-PH2x3-PH3
- Pozidriv® bits: PZ1x2-PZ2x3-PZ3x2
- Torx® bits: T10x2-T15x2-T20x2-T25x2-T30x2
- ResisTorx® bits: TT10-TT15x2-TT20x2-TT25x2-TT30x2-TT40
- Hex bits: 2-3x2-4x2-5x2-6x2 mm
- Magnetic bit holder with locking ring

- Revolver ratchet bit driver + 7 bits:
- Slotted head: 4-5,5-6 mm,
- Phillips®: PH1-PH2,
- Pozidriv®: PZ1-PZ2
- Set of 9 metric hex keys in sleeve
- Set of 7 Torx® keys in sleeve
- 1/4" bit adaptor for 1/4" sockets
- Empty module: E121106



PIN: E121105
List:

» 1/4" - 25 MM POZIDRIV® TORSION BITS

- Slotted-head bits: 4 - 4.5 - 5.5 - 6.5x2 - 8 mm
- Phillips® bits: PH1x2 - PH2x3 - PH3
- Pozidriv® bits: PZ1x2 - PZ2x3 - PZ3x2
- Torx® bits: T10x2 - T15x2 - T20x2 - T25x2 - T30x2
- ResisTorx® bits: T10 - T15x2 - T20x2 - T25x2 - T30x2 - T40
- Hex bits: 2 - 3x2 - 4x2 - 5x2 - 6x2 mm
- Bit holder with locking ring



PIN: E131701
List:

» 1/2" BIT SOCKET SET 32 PIECES

Slotted bit sockets 1/2":

- L.55 mm: M5, M6, M7, M8, M9, M10, M12, M13, M14
- L.100 mm: M5, M6, M7, M8, M9, M10, M12, M13, M14
- L.140 mm: M8, M9, M10, M10.3, M12, M13, M14
- L.200 mm: M8, M9, M10, M10.3, M12, M13, M14



PIN: E200522
List:

» 1/4" & 1/2" HEX, TORX®, XZN® BIT DRIVER SOCKET SET 38 PIECE

- 1/2" TORX® sockets: T40, T45, T50, T55, T60, T70, L140 mm
- 1/2" Tamper TORX® socket: TT30, L300 - TT80, L100 mm
- 1/2" HEX socket: 7, L230 mm - 10, 11, 13, L140 mm - 14, 17, 19, 22, 24, L50 mm
- 1/2" HEX ball socket: 5, L160 mm
- 1/2" XZN socket: M9, L100 mm - M10, M12, M14, L140 mm
- 1/2" XZN spline bit socket: M16, L55 mm - M16, L100 mm
- 1/2" XZN impact socket: M18, L75mm
- 1/4" TS sockets: 10, 15, 20, 25, 27, 30, 40, 45, 50, L37 mm
- 1/2" slotted sockets: 7, 8, L240 mm - 9, L100 mm - 10, 140 mm



PIN: E200513
List:

» IMPACT BIT XZN 1/2" M18

- Mainly used for wheels
- Volkswagen, Audi and other general applications



PIN: E201121
List:

» 1/4" BIT & HOLDER SET 100 PIECES

- Phillips® bits (8 pcs)
- Slotted-head bits (9 pcs)
- Pozidriv® bits (5 pcs)
- Hex bits (20 pcs)
- Tri-wing bits (4 pcs)
- Spanner bits (5 pcs)
- Torx®-set bits (3 pcs)
- Square bits (5 pcs)
- Clutch bits (5 pcs)
- Spline bits (3 pcs)
- Torx® bits (10 pcs)
- Hex tamper bits (12 pcs)
- Torx® tamper bits (9 pcs)
- Stainless bit holder
- Quick release bit holder



PIN: E131709
List:

» IMPACT SCREWDRIVER SET

- Impact Screwdriver
- Coupler 1/2" x 5/16" mm
- Extractor Bits: No.3, length 67 mm
- Extractor Bits: No.4, length 71 mm
- 2 x Ratchet Driver Head: Slotted 8-10 mm (length: 36 mm)
- 2 x Ratchet Driver Head: Phillips 2-3 mm (length: 36 mm)
- 2 x Ratchet Driver Head: Slotted 8-10 mm (length: 80 mm)
- 2 x Ratchet Driver Head: Phillips 2-3 mm (length: 80 mm)



PIN: E230301
List:

» SET OF 3 1/2" PRESET TORQUE WRENCHES

- Click type, 48 teeth
- Comfort handle
- Preset values cover the majority of cars
- Long life cycles - Accuracy +/- 4%
- Calibration certificate
- User manual

	Nm	LIST PRICE	OFFER PRICE
E100111	90		
E100112	110		
E100113	120		



PIN: E100114
List:

» TORQUE ANGLE GAUGE WITH MAGNETIC ARM

- 1/2" Drive
- Flexible arm 340 mm
- Strong fixing magnet



PIN: E100115
List:

» TORQUE ANGLE GAUGE WITH FIXING BAR

- 1/2" Drive
- 100 x 50 mm right angle fixing bar



PIN: E100116
List:



» TORQUE WRENCHES

- ISO 6789
- Precise: +/- 4%
- Comfortable grip
- Direct torque value reading
- Fast and easy setting
- Proven strength
- Supplied with calibration certificate



		CAPACITY (Nm)	LIST PRICE	OFFER PRICE
E100105	1/4"	5 - 25		
E100106	3/8"	10 - 50		
E100107	1/2"	20 - 100		
E100108	1/2"	40 - 200		
E100109	1/2"	60 - 340		
E100110	3/4"	150 - 750		





» BIMATERIAL TAPE MEASURES

- Ergonomic bi-material case
- Nylon coated tape
- Tape lock and automatic rewinding
- Clip for belt



	m x mm	LIST PRICE	OFFER PRICE
E140101	2 x 16		
E140102	3 x 16		
E140103	5 x 19		
E140104	8 x 25		



» MAGNETIC BOX LEVEL

- DIN 877
- Light alloy body
- 2 magnets
- Horizontal and vertical vials

	mm	LIST PRICE	OFFER PRICE
E142301	300		
E142302	450		
E142303	600		



» SAFETY KNIFE

- Blade automatically retracts after use
- Wire cutter
- Delivered with one blade

PIN: **E020306**
List:

» HACK SAW REVOLVER HANDLE

- Tension up to 100Kg - Cutting capacity 100 mm
- Blade pre-tension by a lever system, Easy adjusting and tightening
- Delivered with a 300 mm Bi-metal blade
- Chrome steel bow - Painted front and rear handles



PIN: **E115122**
List:

» SILICON GUN

- Professional model with aluminium adjustable hose
- Ergonomic handle



PIN: **E090703**
List:

» SET OF 6 DRIFT PUNCHES

- DIN 6450
- 6 drift punches 2 to 8 mm



PIN: **E418226**
List:

» RETRACTABLE KNIFE 9 mm

- Snap-off blade
- Removable blade snapper in the cap
- Built-in pocket clip
- Storage for 1 spare blade
- Supplied with 2 blades



PIN: **E020301**
List:

» RETRACTABLE KNIFE 18 mm

- Snap-off blade
- Removable blade snapper in the cap
- Built-in pocket clip
- Storage for 1 spare blade
- Supplied with 2 blades



PIN: **E020302**
List:



» SET OF FILES

		LIST PRICE	OFFER PRICE
E020611	SET OF 4	Second cut half round, round & square bastard hand files	
E020612	SET OF 3	Hand, half round & round files	
E020613	SET OF 5	Hand, half round, round & triangle files	



» CLIP ON MULTIMETER

- Automotive and maintenance clip on multimeter
- Current measurement without contact, withstands difficult environments
- Diode test
- Data hold function
- Overload protection

Technical data:

- Voltmeter DC / AC: 0 to 600 V
- Ammeter DC / AC: 0 to 400 A
- Ohmmeter: 0 to 20 MΩ
- Continuity <30 Ω
- Maximum diameter measurable: ø 32 mm

Certifications:

- IEC-61010
- RMS CAT III 600 V
- CE certification
- Supplied with 2 x 3 V batteries and a cover protection

PIN: **E201803**
List:

» DIGITAL MULTIMETER

- Multimeter automotive / maintenance
- Voltmeter - ammeter
- ohmmeter
- LCD screen
- Measures internal resistance of batteries
- Overload protection
- Battery check function
- Continuity and LED test
- Temperature measurement
- Polarity test
- Holder on the back

Technical data:

- Voltmeter DC / AC: 0 à 250 V
- Ohmmeter: 0 to 20 MΩ
- Diode check: 2.8 V / 1 mA

Certifications:

- IEC-61010
- CAT II 250 V
- CE certification
- 3 batteries AAA 1.5 V included



PIN: **E051301**
List:

» DAT VAT TESTER

Indispensable for automotive, for construction and repairing in industrial environments

- The VAT test allows to check the lack of voltage on a circuit before starting the works

Technical data:

- Voltages: 6-12-24-50-120-230-400 V
- DC / AC: 50-60 Hz

Certifications:

- IEC 61243-3
- CAT III 600 V
- CE certification
- IP 54
- Supplied with 2 batteries LR44 1.5 V



PIN: **E201804**
List:

» POLARITY TESTER

Made to test:

- Power windows and electric motors
- Positive and negative voltage
- Continuity in switches, relays, diodes and fuses
- Power supply function is provided for testing shorted or overload circuits
- Finds open or disconnected parts
- Finds short circuits and bad earths fast
- DC: 8-24 V
- Supplied with protection cover



PIN: **E201806**
List:

» CAR LIGHT TESTER

- Used to detect power and ground
- Easily checks 6 and 12 V systems
- Tough plastic handle lights up if circuit is good



PIN: **E201802**
List:

» AUTOMATIC STRIPPING PLIERS

- Self-adjusts to most 0.2 to 6.0 mm² solid or stranded wire
- Wire cutter function
- Crimps 7-8mm
- Auto ignition
- Crimps insulated terminals 0.5 to 6 mm² and non-insulated terminals 0.5 to 2.5 and 4 to 6 mm²



PIN: **E050105**
List:



» INFRARED THERMOMETER

Check temperature of engine, muffler brakes, tires, heater vents or air conditioner

- Minus 20 to 520°C (Celsius & Fahrenheit)
- Distance ratio: 8:1
- Laser to make sure you are controlling the right position
- Battery 9 V x 1 included



PIN: **E201805**
List:



» BOOSTER 12V

- Peak current: 2200 A
- Start-up current: 840 A
- Protection against power surges
- Automatic charger: 1.5 A
- Insulated zinc clamps
- Copper cables: 55 cm / 28 mm²
- Charging level indicator
- New EXODUS PRO-22 AGM battery
- Strong: ABS body



PIN: **E200401**
List:

» BATTERY DENSIMETER

For checking specific gravity of battery fluid

- Reading in both gravity and percentage charge
- Number of floating discs shows the state of charge



PIN: **E200405**
List:



» CONNECTOR PLUG EXTRACTION TOOL SET 19 PIECES

- Tools compatible with the new VW-Audi group connectors
- Can be used on: coolant sensors, wiring harnesses and calculator connectors
- Preserves the wire and lug
- Knurled grips

PIN: **E201801**
List:

» ALTERNATOR PULLEY KIT 13 PIECES

Starter kit for fitting and removing the alternator pulley

- Hex 8 mm/10 mm
- Star T50/T40
- M10 Spline x 1/2"
- T50 Star x 1/2" for Bosch Alternators with free wheel pulleys
- 1/2" to Hex Adaptor
- 4 x Pulley Connectors for Bosch and Magnet Marelli alternators



PIN: **E201901**
List:



» AIRBAG MAINTENANCE TOOL SET 12 PIECES

- Complete set of tools for removing and installing airbags in the vehicle
- 5 1/4" 80 mm long hex sockets to reach fasteners
- 7 tools dedicated to fitting and removing airbags

PIN: **E201205**
List:

» ALTERNATOR PULLEY KIT 22 PIECES

Complete kit for fitting and removing the alternator pulley

- M10 Spline socket w/33 spline nut
- M10 Spline socket w/31 spline nut
- M10 Spline socket w/12mm hex drive end
- M10 Spline socket
- T50 Torque socket w/33 spline nut
- M8 spline socket
- M10 spline socket
- T40 Torque socket
- T50 Torque socket
- 8mm hex socket
- 10mm hex socket
- 33 spline alternator socket
- 15mm hex drive
- 33 spline alternator socket
- 17mm hex drive



PIN: **E201902**
List:



» VACUUM BRAKE BLEEDER

- Vacuum bleeder operates by Venturi principle
- Operating pressure 6-10 bars
- Designed for LV, Motorbike
- Intended for brake or clutch circuits
- Capacity 3 l
- Pressure gauge indicating the vacuum value



PIN: **E200901**
List:

» RESERVOIR FILLING BOTTLE

- Allows automatic filling
- Adapts to all diameters of brake fluid reservoir
- Capacity 1 l
- Closing valve



PIN: **E200902**
List:

» GAUGE FOR BRAKE DISC

Can quickly demonstrate to customers the need for changing brakes

- Caliper for checking the thickness of brake discs
- Metric scale with 1 mm graduations
- Measurement range: 0 to 60 mm
- Unique lever action floating jaw assembly enables easy removal of caliper from disc while retaining reading



PIN: **E200908**
List:



» FLARE-NUT WRENCH

- For brake lines
- 10x11 mm

PIN: **E200906**
List:

» BALL JOINT SEPERATOR KIT 3 PIECES

- 1 model for ball joint Ø 24 mm
- 1 model for ball joint Ø 28 mm
- 1 model for ball joint Ø 34 mm
- Supplied in a plastic case with instructions

PIN: **E201100**
List:



» BRAKE CALIPER WIND BACK TOOL SET

- Pushes back pistons (left or right turning)
- Supplied with 21 adapters for all makes (application list in the instructions)
- Supplied in a plastic case with instructions

PIN: **E200904**
List:



» STEEL LINE STOPPER SET 8 PIECES

- 2 x Banjos (big and small)
- 2 x 3/8"
- 2 x 1/2"
- 2 x 5/16"
- Quickly stop fluid from the separated hoses
- Use with all automotive fluids

Suitable for:

- Fuel rails and lines
- Flare type steel brake, fuel & AC lines
- Banjo fittings on brake, power steering & transmission cooler lines
- Possibility to adjust the opening

PIN: **E201702**
List:





» GLOW PLUG SOCKET SET

- 6 glow plug sockets:
Ø 8-9-10-12-14-16 mm
- 3/8" square drive
- Universal joint with friction springs for reaching socket angle required



PIN: **E200311**
List:

» OFFSET OPEN SOCKETS

- 1/2" offset open sockets
12-14-16-17-18-19 mm
- Length 100mm to reach nuts on diesel injector supplied in confined spaces



PIN: **E200517**
List:

» COOLING SYSTEM TESTER KIT

Complete kit for detecting leaks in cooling systems

- Includes adapters with quick couplers compatible with most European and Japanese cars
- Generic adapters allowing use on a broad range of vehicles and systems
- Supplied in a plastic case with instructions



PIN: **E200511**
List:

» SPARK PLUG THREAD REPAIR KIT 16 PIECES

Ideal for repairing spark plug threads on cars


- 1 M16 oversize thread insert tap
- 5 solid inserts M14 x 125 - 11,2 mm
- 5 solid inserts M14 x 125 - 17,5 mm
- 5 solid inserts in brass M14 x 125 - 17,5 mm



PIN: **E200310**
List:

» COOLANT COLLECTION TRAY

- Slim-line: slides easily under the car
- Capacity 30 litres
- Dimensions: L.850 x W.600 x H.125 mm



PIN: **E200502**
List:

» HOSE CLAMP PLIERS SET 7 PIECES

- Contains 7 pliers also available as individual units:
E200504-E200505-E200506-
E200507-E200508-
E200509-E200510
- Supplied in plastic case



PIN: **E20050**
List:

» FLEXIBLE NUT DRIVER

- For loosening and tightening hose clamps
- Length: 150 mm
- 3 diameters: 6 - 7 - 8 mm

	mm	LIST PRICE	OFFER PRICE
E200524	6		
E200525	7		
E200526	8		



» SET OF 2 VALVE LAPPERS

- Wood handle with suction cap at each end
- 1 x L.245 mm with 19 and 22 mm Ø suction caps
- 1 x L.255 mm with 22 and 32 mm Ø suction caps

PIN: **E200518**
List:



» ANTI FREEZE HYDROMETER

- Measures antifreeze levels in engine coolant
- Two scales for cold or warm engines
- Reading in Celsius and Fahrenheit

PIN: **E200523**
List:

» FENDER COVER

- Sewn in tool ridge to place essential tools safely & conveniently
- Protects the bodywork from scratches
- Thick hydrocarbon-resistant vinyl
- Dimensions: L.86 x W.66 cm



PIN: **E200116**
List:



» SQUARE OIL FUNNEL

- Square design and tapered spout fits into most engine filling holes
- For filling with square bottles

PIN: **E200237**
List:



» FUNNEL 1,2 l

- Made for engine oil, gear oil, fuel and coolant
- Open and close the blue ring for a clean filling
- Filter removable to be cleaned

PIN: **E200238**
List:



» OIL CANS

- Bottle with precision manufacturing of high strength steel
- Paint finish, metal core
- Depressed type handle
- Rigid hose with copper nozzle

300 ml

PIN: **E090701**
List:

500 ml


PIN: **E090702**
List:



» STETHOSCOPE

- One-piece design with an ultrathin diaphragm to locate the source of noise
- Complete with needle

PIN: **E200520**
List:



» FUEL HOSE CLAMP

- Specific tool to uncouple connectors of line fuel filters
- Angular nose for better access

PIN: **E200519**
List:



» DIESEL PRIMING DEVICE

- For priming diesel fuel lines, filters and pumps
- Comprises hand bulb
- One way valve
- In line fuel connectors

PIN: **E200521**
List:



» PLIER EXHAUST REMOVAL

- Made to remove exhaust components easily and quickly
- One-handed removal of exhaust brackets from rubber hanger
- Suitable for a wide range of cars and light commercial vehicles

PIN: **E200601**
List:



» METRIC FEELER GAUGES

- 19 blades 0.04 to 1 mm

PIN: **E200307**
List:

» FLUID CHANGE SYRINGE

- Capacity 0.2 l
- For extracting and injecting fluids during vehicle maintenance
- Transparent body
- Double joint for continuous suction
- Ideal for brake fluid and coolant

PIN: **E200907**
List:





» FLUID EXTRACTOR


- Capacity 9.5 l
- Suited for extracting lubricants
- Pneumatic pump (for use in shop) or hand pump (for use on roadside)
- Transparent body
- Maintenance-free
- With 4 bits
- Supplied instructions



PIN: **E200512**
List:

» ADJUSTABLE OIL-FILTER WRENCH

- For filters from 60 to 110 mm
- For most oil filters on LV LCV



PIN: **E117117**
List:

» DRAIN-PLUG WRENCH

- 8 and 10 mm drive bits
- Designed for use on PEUGEOT, CITROEN and RENAULT vehicles



PIN: **E200202**
List:

» OIL CHANGE COLLECTION TRAY

- Impact and hydrocarbon-resistant
- To be used for floor oil change
- Capacity 8 litres



PIN: **E200227**
List:

» SET ALUMINUM CAP WRENCHES 6 PIECES

Smaller shape and volume for better accessibility

- 6 Cap wrenches for oil filters
- 6 point profile for removal without damaging composite oil filter plugs
- 1/2" drive
- Ø 24-27-30-32,5- 36-38 mm



PIN: **E200239**
List:

» OIL-FILTER CAP WRENCHES 30 PIECES

- 3/8" drive
- 3/8" to 1/2" adapter
- Universal autolocking cap included
- Set covers 85% oil filters of the makers in the following groups:
PEUGOT, RENAULT, FIAT, ALFA, LANCIA, VAG, BMW, MERCEDES, VOLVO, SAAB, ROVER, JAGUAR, LOTUS, TOYOTA, SUZUKI



PIN: **E200201**
List:

» OIL PAN REPAIR 64 PIECES

For repairing stripped or cross threaded in Steel/Aluminum Oils Pans or Sumps

- This tool cuts and oversize thread into the pan/sump and used an oversize plug to be used
- Easy to use
- 4 oversize plugs: M13, M15, M17, M20
- 5 taps: M13.5, M15.5, M17.5, M20
- 10 washers: 13, 15, 17, 20 mm



PIN: **E200236**
List:

» OIL CHANGE SYRINGE

- Capacity 1,5 l
- For extracting and injecting fluids during vehicle maintenance
- Transparent body
- Double joint for continuous suction
- Valve at syringe exit to keep it full



PIN: **E200231**
List:

**» 3.2 t JACK**

- EN 1494
- Minimum height under body 145 mm, max lift 504 mm
- Delivered with rubber protection on lift head and foam protection on the handle to protect the vehicle body
- Metal wheels



PIN: **E200103**
List:

» BEARING PULLER KIT

- 1st generation bearing puller kit (60 - 85 mm)
- Precise centering and alignment to avoid damaging the bearing
- Suited for most models by VW, Audi, Seat, Fort, Opel and BMW
- Supplied in a plastic case with instructions



PIN: **E201113**
List:

» SET OF ALLOY WHEEL SOCKETS 17, 19, 21 mm - 1/2"

- External plastic protection to protect alloy wheels



PIN: **E194676**
List:

» BEARING PULLER KIT - FRENCH CARS

- Precise centering and alignment to avoid damaging the bearing
- Suited for most models by Peugeot, Citroën and Renault
- Supplied in a plastic case with instructions



PIN: **E201114**
List:

» BALANCING WEIGHT PLIERS

- To fasten or remove wheel balancing weights



PIN: **E201112**
List:

» VALVE CORE - AIR CONDITIONING + WHEEL REMOVING TOOL 2-IN-1 TOOL

- One side for removing and changing wheel valve cores
- Another side for the removal and replacement of the air conditioning valve core
- Suited for LUVs and motorbikes



PIN: **E201110**
List:

» TYRE PRESSURE TESTER

Ideal for measuring tyre pressure and tyre tread depth

- LCD screen
- Auto power off
- Display shows: PSI / Bar / Kpa / Kg/cm²
- Accuracy of 0.01
- Ruler for measuring tyre tread depth from 0 to 20 mm
- Certification: CE certification
- Supplied with 2 batteries 1.5 V (LR44)



PIN: **E201120**
List:

» SPRING COMPRESSOR SET

- With 3 pairs of forks
- 435 mm length
- 300 mm compression travel
- Maximum power: 10200 N (about 1 ton)
- Interchangeable forks with plastic coating to protect springs from damage
- 24 mm hex drive
- Supplied with adaptors for tapered spring in a plastic case with instructions



PIN: **E201001**
List:

» DAMAGED NUT EXTRACTOR SET

To help loosen and remove damaged or rusted bolts, nuts and locking wheel nuts


- 2 different profiles per socket
- Socket 1/2" 17-19-21 mm
- Adaptor bar 1/2"



PIN: **E201105**
List:

» CROSS BRACE

- 17 x 19 x 22 x 1/2"



PIN: **E201115**
List:

» VALVE PULLER

2 in 1: tyre valves installer and valve-core remover

- Plastic handle with a hinged valve thread
- Length: 285 mm



PIN: **E201119**
List:



AUTOMOTIVE

» BATTERY TERMINAL PULLER

- For wipers with or without built-in nozzle
- Also suitable for pulling battery terminals
- Capacity 3320 Nm



PIN: **E201512**
List:

» TELESCOPIC MIRROR LEDS

- Extendable from 290 to 876 mm
- Easily inspect tight areas
- Glass mirror sits on a 360° swivel
- 2 LEDs to avoid any shadows on the inspection zone
- 1 battery 3 volts lithium included




PIN: **E051401**
List:



» INFLATABLE DOOR OPENER

- Slip flattened wedge into the door frame, then inflate with the attached hand pump to make room for your door tools
- Plastic structure will not damage paintwork
- One-hand push button release valve for easy, reliable use

PIN: **E201207**
List:



» DOOR OPENING KIT

- 9 tools to open the door of a vehicle when the keys are inside it without breaking the window
- Use strictly restricted to professionals
- Supplied in bag without instructions

PIN: **E201206**
List:

» SET OF 2 PAIRS OF SUCTION CUPS + STRAP FOR WINDSHIELD

- 2 pairs of 117 mm Ø suction cups
- Pair of suction cups carrying up to 40 kg
- Strap supplied to position the windshield



PIN: **E201501**
List:

» 2 PULLING HANDLES + WIRE

- Pair of pulling handles for windshield gasket cutting
- Supplied with piano wire



PIN: **E201516**
List:

» STARTER NEEDLE

- Flat blade with end cutout to insert the cutting wire through the windshield gasket
- Plastic T handle for more comfort and power



PIN: **E201515**
List:



» MINI SCRAPER

- Mini scraper with retractable blade
- Possibility to store two blades
- Blades quick and easy to be changed
- Delivered with 3 blades
- Spare blades - E201520

PIN: **E201209**
List:



» FLEXIBLE FINGER WITH MAGNETIC HEAD

- Flexible hose: 409 mm
- Magnetic head capacity: Max 1.4 kg

PIN: **E051501**
List:



AUTOMOTIVE - WINDSHIELD

» LED MINI FLEXIBLE LAMP

- 3x5 mm White LED's
- 440 mm Flexible body
- Magnet in Base
- Slide switch operation
- Uses 3 x LR44 coin cell batteries (included)



PIN: **E201413**
List:

» ARTICULATED INSPECTION LAMP

Rechargeable inspection lamp

- 1 high performance COB LED + 5 tip LEDs
- Main lighting power: 110 lumens or 270 lux at 50 cm
- Tip lighting power: 12 lumens or 58 lux at 50 cm
- Operating time: 4.5 h main lighting
- 20h tip lighting
- Charging time: 4.5h
- Flexible magnetic base over 180°
- Fitted with 2 magnets at the back and 2 folding hooks
- Li-ion batteries
- Dimensions: 50 x 40 x 250 mm
- Supplied with mains adapter and 12 V cigarette lighter cable



PIN: **E201407**
List:

» FLEXIBLE MAGNETIC BASE UV LAMP

- 7 UV LEDs
- Operating time: 25h
- Operates on 2 AAA batteries (not supplied)
- IP 54
- Dimensions: 40 x 414mm



PIN: **E201410**
List:

» FLEXIBLE MAGNETIC BASE LAMP

- 1 high power SMD LED
- Lighting power: 250 lumens or 1551 lux at 50 cm
- Operating time: 15 h
- Adjustable optic light beam
- Operates on 2 AAA batteries (not supplied)
- IP 54
- Dimensions: 40 x 414 mm



PIN: **E201409**
List:

» LED MAGNETIC PICK UP TOOL

Large gripping wings for a firm grip and more control

- 4 arm claw
- Magnetic tip
- LED Light activates and advances with claw
- 250 mm flexible body
- One hand operation
- Uses 3x LR44 coin cell batteries (included)



PIN: **E201414**
List:



» USB RECHARGEABLE PEN LIGHT

- USB rechargeable pen light
- 6 high performance SMD LEDs + 1 tip LED
- Main lighting power: 45 lumens or 125 lux at 50 cm
- Tip lighting power: 3 lumens or 25 lux at 50 cm
- Operating time: 3 h main lighting
- 12 h tip lighting
- Dimensions: 18x33x170 mm



PIN: **E201406**
List:



» KNEELING PAD + PEN LIGHT E201406

- The pen light can be horizontally orientated (with vertical light) or with an angle of 45 degrees to light up the point where you want to look at

PIN: **E200132**
List:

» 2 W POCKET LAMP

- 1 x 2 W COB Power LED
- 360° Support stand
- 2 x Magnets in support and on rear
- Belt Clip
- Hook
- IP65
- Rechargeable
- 2-3 hr Charge, 2-2.5 hr operation



PIN: **E201415**
List:

» KNEELING PAD + POCKET LAMP E201415

- Insert the pocket lamp in the handle
- Adapt the lamp to exactly light up where you want to look at



PIN: **E200133**
List:

» KNEELING PAD ONLY

- Solution to reduce knee pain and avoid back tension
- Protects knees when kneeling on hard surfaces

PIN: **E200131**
List:



LIGHTING



» LED LIGHT LAMP

Rechargeable light lamp

- 14 high power SMD LEDs
- Lighting power: 550 lumens or 180 lux at 1 m
- Operating time: 4 h
- Charging time: 3,5 h
- Directional beam
- 2 hooks expandable from 1.14 m to 1.90 m
- Li-ion batteries
- Dimensions: 1138 x 179 x 96 mm
- Supplied with mains adapter

PIN: **E201408**

List:



» 35 W CORDED LED SPOT LAMP

- 35 W COB Power LED
- 1 power setting: 35 W 2300–2500 Lumen
- IP65 enclosure
- 5m HO5RN-F 3, 1.0 mm² cable
- Explosion proof lens
- Aluminium body
- Rotational support
- Hanging Hook

E201412

» TRIPOD ACCESSORY

- 650-1800 mm adjustable height

PIN: **E201425**
List:




» 15 W RECHARGEABLE LED SPOT LAMP WITH STAND

- 15 W COB Power LED
- 2 power settings:
8 W 550 - 600 Lumen - 6-7 hrs,
15 W 950 - 1200 Lumen - 3-3.5 hrs
- IP65 enclosure
- Lithium Ion Battery
- Mains and Cigarette chargers
- Explosion proof lens
- Aluminium body
- Rotational support



E201411

» SPOT LAMP FLOOR STAND



E201424

Article No: 13884.50. All prices in EUR exclude VAT. Offers end 31/08/2015. Products subject to availability. Stanley Black & Decker Polska reserves the right to modify any product or specification without prior notice. Phillips®, Pozidriv® are registered trademarks of Phillips Screw Co. Torx® is a registered trademark of Camcar/Textron. Circlip is a registered marque of Nomet.

Your Official Distributor:

Stanley Black&Decker Polska sp. z o.o
ul. Postępu 21D
02-676 Warszawa
Tel. 48 (22) 4642700 • Fax 48 (22) 4642701
www.expert-tool.com